


Exhibit G


Claim Chart for U.S. Patent No. 10,792,380

PhoneSoap Basic directly infringes claim 1 of U.S. Patent No. 10,792,380 ("the '380 Patent"), and its dependent claims, under 35 U.S.C. § 271(a) as shown in this claim chart, literally and/or under the doctrine of equivalents.


U.S. Patent No. 10,792,380	PhoneSoap Basic ¹
<p>1. An apparatus for sanitizing an object, the apparatus comprising:</p> <p>a housing comprising one or more sidewalls, the housing defining an interior configured to receive the object;</p>	<p>PhoneSoap Basic is an apparatus for sanitizing an object.</p> <div data-bbox="625 456 1871 1276">  <p>PhoneSoap Basic UV Phone Sanitizer PhoneSoap Basic</p> <p>Housing comprising one or more sidewalls</p> <p>Sidewall</p> <p>Object</p> <p>Interior defined by the housing and configured to receive an object</p> <p>Sidewall</p> </div>

¹ Photographs in this claim chart are taken from <https://www.phonesoap.com/products/phonesoap-basic-phone-uv-sanitizer>.


a posterior wall disposed at a posterior end of the housing, the posterior wall extending inwardly from the one or more sidewalls;



a dome disposed at an anterior end of the housing, the dome at least partially defining an anterior opening for access to the interior; and



one or more sources of germicidal light disposed under the dome.



Source of germicidal light disposed under the dome




Kills 99.99%
of germs using
UV-C light*

Source of germicidal light disposed under the dome



5. The apparatus of claim 1, wherein the one or more sidewalls are generally perpendicular with the posterior wall.




6. The apparatus of claim 1, wherein said germicidal light comprises germicidal ultraviolet (UV) light.




10. The apparatus of claim 1,
wherein at least a portion of
the housing is rectangular.




At least a portion of
the housing is
rectangular



12. The apparatus of claim 1, further comprising:
a user-actuable switch configured to selectively couple the one or more sources of germicidal light to a power supply.



Close lid to begin disinfection.
Do not force shut.



Plug PhoneSoap Basic into
power with provided cord.



Source of germicidal light
selectively coupled to
power supply




Kills 99.99%
of germs using
UV-C light*



A user actuable switch (closing the lid) is configured to selectively couple the one or more sources of germicidal light to a power supply (begin disinfection).

14. The apparatus of claim 1, further comprising a protective screen disposed between the one or more sources of germicidal light and a portion of the interior, the screen configured to prevent user contact with the one or more sources of germicidal light.



On information and belief PhoneSoap Basic has a protective screen disposed between the one or more sources of germicidal light, which is configured to prevent user contact with the one or more sources of germicidal light.

15. The apparatus of claim 14, wherein the protective screen comprises a material that is transparent or translucent to the germicidal light.

Protective screen
comprises a material that is
transparent or translucent
to the germicidal light



On information and belief PhoneSoap Basic has a protective screen that comprises a material that is transparent or translucent to the germicidal light.

20. The apparatus of claim 1,
wherein the dome comprises a
linear cross-section portion.

The dome comprises a
linear cross-section portion

